

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("6560592").PN.	US-PGPUB; USPAT	OR	OFF	2007/04/25 09:28
L2	230	(707/103Y).ccls.	US-PGPUB; USPAT	OR	OFF	2007/04/25 09:53
L3	8290	(composite or complex) with event	US-PGPUB; USPAT	OR	OFF	2007/04/25 09:54
L4	1089	I3 and (event with structure)	US-PGPUB; USPAT	OR	OFF	2007/04/25 09:54
L5	155	I4 and (rule with set)	US-PGPUB; USPAT	OR	OFF	2007/04/25 09:55
L6	128	I5 and @ad<"20040330"	US-PGPUB; USPAT	OR	OFF	2007/04/25 09:56
L7	118	I6 and database	US-PGPUB; USPAT	OR	OFF	2007/04/25 10:28
L8	3	("6539381" "7089228" "20030135523").pn.	US-PGPUB; USPAT	OR	OFF	2007/04/25 10:39
L9	4	("5852818" "6073129" "6490574" "7149738").pn.	US-PGPUB; USPAT	OR	OFF	2007/04/25 10:39
L10	49	("20050222996" "20060224542" "6292830" "6826579" "5390330" "5915115" "5564047" "5680602" "6604093" "20050125371" "5966691" "6317700" "6377934" "6735772" "6789257" "6868413" "20020116354" "5745901" "5675745" "6098047" "20050010545" "20060248503" "7177859" "20040002958" "20040002972" "20040002988" "6253193" "6363488" "6389402" "6427140" "20030236690" "20040162741" "20050096966" "20020091685" "5355474" "20030115311" "6070165" "20060294222" "5712960" "5832482" "5893077" "5987429" "6061506" "6061506" "6199047" "6233537" "6411961" "6606304" "20020099579" "20040122823"). pn.	US-PGPUB; USPAT	OR	OFF	2007/04/25 10:48
S1	1	("20050222996").PN.	US-PGPUB; USPAT	OR	OFF	2007/04/25 08:48
S2	2532	(707/4).ccls.	US-PGPUB; USPAT	OR	OFF	2007/04/25 08:50


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Ad](#)
[Sc](#)
[Sc](#)

Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 18,800 for [event rule condition database comp](#)

All Results

[N Paton](#)
[Z Ives](#)
[L Liu](#)
[O Díaz](#)
[D Florescu](#)

[Active database systems - group of 12 »](#)

NW Paton, O Díaz - ACM Computing Surveys (CSUR), 1999 - portal.acm.org

... DB C —the **database** when the **condition** is evalu- ated ... access to bindings associated with the **event** (Bind E ... to the different components of a **rule** is illustrated ...

Cited by 193 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[On the Semantics of **Complex** Events in Active **Database** Management Systems - group of 11 »](#)

D Zimmer, R Unland - Proceedings of the 15th International Conference on Data ..., 1999 - doi.ieeecs.org

... The **condition** of a **rule** is evaluated whenever its triggering ... If the **condition** is satisfied, the specified ac- tion ... ones by using operators of an **event** algebra. ...

Cited by 47 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[The TriGS active object-oriented **database** system—an overview - group of 11 »](#)

G Kappel, W Retschitzegger - ACM SIGMOD Record, 1998 - portal.acm.org

... a predicate over the **event's** parameters, may be specified, which fur- ther restricts the **events** able to trigger a ... The **condition** part of a **rule** is speci ...

Cited by 42 - [Related Articles](#) - [Web Search](#)

[An algebraic approach to static analysis of active **database** rules - group of 3 »](#)

E Baralis, J Widom - ACM Transactions on **Database** Systems (TODS), 2000 - portal.acm.org

... either by the occurrence of **events** (**event-condition**-action or ... occurrence of particular **database** states (**condition**-action or ... Active **rules** can also be used for ...

Cited by 43 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Composite events for network **event** correlation - group of 5 »](#)

G Liu, AK Mok, EJ Yang - Integrated Network Management, 1999. Distributed Management ..., 1999 - ieeexplore.ieee.org

... **complex** temporal relationships as **conditions** on **event** ... instance, for the correlation **rule** described in ... **composite event** LinkADownAlert can be defined as following ...

Cited by 40 - [Related Articles](#) - [Web Search](#)

[An agent-based approach to extending the native active capability of relational **database** systems - group of 7 »](#)

L Li, S Chakravarthy - Data Engineering, 1999. Proceedings., 15th International ..., 1999 - ieeexplore.ieee.org

... is generated to make the **event** and the ... **RULE** * sentineldb.sharmat_and = new **RULE**(sentineldb.sharma ... 1 and, sentineldb.sharma.addDel, **condition**, SybaseAction,(...

Cited by 17 - [Related Articles](#) - [Web Search](#) - [Library Search](#) - [BL Direct](#)

[An **event-condition**-action language for XML - group of 11 »](#)

J Bailey, A Poullovassilis, PT Wood - Proceedings of the 11th international conference on World ..., 2002 - portal.acm.org

... 5 In common with the SQL3 standard for **database** triggers [24 ... up the names of updated relations with potential **events** or with the bodies of **rule conditions**. ...
[Cited by 48](#) - [Related Articles](#) - [Web Search](#)

Event-Condition-Action Rule Languages for the Semantic Web - group of 5
»

G Papamarkos, A Poulouvasilis, PT Wood - Workshop on Semantic Web and Databases, 2003 - dcs.bbk.ac.uk
... based P2P network is more **complex** than for ... the **database** servers and the **database** schema at ... developing algorithms for matching **rule event**, **condition** and action ...
[Cited by 34](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PS] **FRAMBOISE—an approach to framework-based active database management system construction - group of 2** »

H Fritschi, S Gatzju, KR Dittrich - Proceedings of the seventh international conference on ..., 1998 - ifi.unizh.ch
... DB **Event** Detection **Condition** Evaluation DB Action Execution **Event** Service Signalling **Event Rule** Service Figure 2: The Reference Architecture of ECA Systems. ...
[Cited by 11](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

ECA Rule Support for Distributed Heterogeneous Environments - group of 8
»

S Chakravarthy, R Le - Proceedings of the Fourteenth International Conference on ..., 1998 - doi.ieeecs.org
... specification language (Snoop), efficient **event** detection (using generated wrappers), **conditions** and actions (as ... multiple and cascaded **rule** processing (using ...
[Cited by 13](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

event rule condition database compi

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☐ The ACM Digital Library ☐ The Guide

THE GUIDE TO COMPUTING LITERATURE

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

An event-condition-action language for XML

Full text  [Pdf](#) (192 KB)

Source [International World Wide Web Conference archive](#)
Proceedings of the 11th international conference on World Wide Web [table of contents](#)
 Honolulu, Hawaii, USA
SESSION: XML Applications [table of contents](#)
 Pages: 486 - 495
 Year of Publication: 2002
 ISBN:1-58113-449-5

Authors [James Bailey](#) University of Melbourne, Australia
[Alexandra Poulovassilis](#) Birkbeck College, University of London, London, United Kingdom
[Peter T. Wood](#) Birkbeck College, University of London, London, United Kingdom

Sponsors [ACM: Association for Computing Machinery](#)
 : WWW'02

Publisher [ACM Press](#) New York, NY, USA

Additional Information: [abstract](#) [references](#) [cited by](#) [index terms](#) [collaborative colleagues](#) [peer to peer](#)

Tools and Actions: [Find similar Articles](#) [Review this Article](#)
[Save this Article to a Binder](#) Display Formats: [BibTex](#) [EndNote](#) [ACM Ref](#)

DOI Bookmark: Use this link to bookmark this Article: <http://doi.acm.org/10.1145/511446.511509>
[What is a DOI?](#)

↑ ABSTRACT

XML repositories are now a widespread means for storing and exchanging information on the Web. As these repositories become increasingly used in dynamic applications such as e-commerce, there is a rapidly growing need for a mechanism to incorporate reactive functionality in an XML setting. Event-condition-action (ECA) rules are a technology from active databases and are a natural method for supporting such functionality. ECA rules can be used for activities such as automatically enforcing document constraints, maintaining repository statistics, and facilitating publish/subscribe applications. An important question associated with the use of a ECA rules is how to statically predict their run-time behaviour. In this paper, we define a language for ECA rules on XML repositories. We then investigate methods for analysing the behaviour of a set of ECA rules, a task which has added complexity in this XML setting compared with conventional active databases.

↑ REFERENCES

Note: OCR errors may be found in this Reference List extracted from the full text article. ACM has opted to expose the complete List rather than only correct and linked references.

1 [Serge Abiteboul , Jason McHugh , Michael Rys , Vasilis Vassalos , Janet L. Wiener, Incremental Maintenance for Materialized Views over Semistructured Data, Proceedings of the 24rd International Conference on Very Large Data Bases, p.38-49, August 24-27, 1998](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☐ The ACM Digital Library ☒ The Guide

THE GUIDE TO COMPUTING LITERATURE


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Active database systems

 Full text  Pdf (2.68 MB)

Source **ACM Computing Surveys (CSUR)** archive
 Volume 31, Issue 1 (March 1999) [table of contents](#)
 Pages: 63 - 103
 Year of Publication: 1999
 ISSN:0360-0300

Authors **Norman W. Paton** Department of Computer Science, University of Manchester, Oxford, Road, Manchester M13 9PL, UK
Oscar Díaz Departamento de Lenguajes y, Sistemas Informaticos, University of the Basque Country, San Sebastián, Spain

Publisher ACM Press New York, NY, USA

Additional Information: [abstract](#) [references](#) [cited by](#) [index terms](#) [review](#) [collaborative colleagues](#) [peer to peer](#)

Tools and Actions: [Find similar Articles](#) [Review this Article](#)
[Save this Article to a Binder](#) Display Formats: [BibTex](#) [EndNote](#) [ACM Ref](#)

DOI Bookmark: Use this link to bookmark this Article: <http://doi.acm.org/10.1145/311531.311623>
[What is a DOI?](#)

↑ ABSTRACT

Active database systems support mechanisms that enable them to respond automatically to events that are taking place either inside or outside the database system itself. Considerable effort has been directed towards improving understanding of such systems in recent years, and many different proposals have been made and applications suggested. This high level of activity has not yielded a single agreed-upon standard approach to the integration of active functionality with conventional database systems, but has led to improved understanding of active behavior description languages, execution models, and architectures. This survey presents the fundamental characteristics of active database systems, describes a collection of representative systems within a common framework, considers the consequences for implementations of certain design decisions, and discusses tools for developing active applications.

↑ REFERENCES

Note: OCR errors may be found in this Reference List extracted from the full text article. ACM has opted to expose the complete List rather than only correct and linked references.

- 1 [Serge Abiteboul, Richard Hull, IFO: a formal semantic database model, ACM Transactions on Database Systems \(TODS\), v.12 n.4, p.525-565, Dec. 1987](#)
- 2 [Rakesh Agrawal, Roberta Cochrane, Bruce G. Lindsay, On Maintaining Priorities in a Production Rule System, Proceedings of the 17th International Conference on Very Large Data Bases, p.479-](#)